



July 13, 2010

Lafarge - Underwriters Laboratories (UL) Listed Assemblies

The following is a list of the UL Listed Designs for each fire-rated Lafarge gypsum board:

Lafarge 5/8" Firecheck® Type X, 5/8" Firecheck® Plasterbase, 5/8" Rapid Deco® Type X, 5/8" Firecheck® Soffitboard, 5/8" Protecta™ AR 100 with Mold Defense and 5/8" Protecta™ HIR 100 with Mold Defense (UL Designation LGFC6A)

48" wide, for use in Design Nos. D405, G501, G505, G520, G531, L501, L508, L532, L554, L556, L591, N501, N502, N505, N602, P225, P227, P230, P235, P254, P259, P266, P302, P516, P517, P701, P710, P711, P713, P714, P717, P718, P719, P720, P722, P725, P728, P729, P730, P731, P732, P733, P734, P735, P738, P739, P740, P741, P742, P743, P801, P803, P805, P811, P814, P815, P818, P819, P824, P825, P826, P827, P828, S728, S736, U017, U026, U032, U040, U047, U051, U052, U204, U207, U301, U302, U304, U305, U309, U321, U322, U323, U324, U325, U326, U329, U330, U332, U337, U338, U339, U341, U342, U344, U351, U354, U355, U356, U357, U358, U360, U364, U368, U369, U376, U377, U379, U388, U391, U396, U405, U411, U418, U420, U421, U422, U425, U434, U435, U436, U439, U442, U445, U449, U450, U456, U460, U465, U466, U467, U469, U473, U475, U477, U487, U489, U494, U495, U502, U504, U505, U506, U510, U512, U513, U518, U524, U526, U531, U534, U536, U538, U541, U544, U545, U546, U547, U548, U603, U606, U609, U615, U617, U622, U623, U625, U626, U633, U637, U640, U646, U647, U648, U649, U651, U652, U926, V415, V417, V419, V420, V421, V430, V432, V434, V435, V445, V450, V454, V458, V472, V481, V486, X508, X509, X510, X516, X517, X525, X526, X527, X528, X537, X602, X604.

Lafarge 5/8" Firecheck® Type X (UL Designation LGFC6A)

54" wide, for use in Design Nos. D405, G501, G520, G531, L501, L508, N501, N502, N505, N602, P711, P713, P740, U017, U026, U032, U204, U301, U302, U305, U309, U322, U323, U324, U325, U329, U332, U338, U339, U341, U342, U344, U354, U355, U357, U358, U368, U379, U391, U411, U418, U502, U603, V421, X508, X509, X510, X516, X517, X525, X526, X527, X528, X602, X604.

Lafarge UL Listed Assemblies – continued

Lafarge ½” Firecheck® Type C (UL Designation LGFC-C/A)

48” wide, for use in Design Nos. D502, G502, G504, G515, G523, G524, G526, G527, G528, G529, G530, G531, G533, G534, G547, G550, G552, K912, L502, L503, L504, L506, L507, L510, L512, L514, L515, L517, L518, L519, L522, L524, L525, L530, L531, L542, L544, L580, P215, P219, P235, P237, P506, P507, P510, P511, P512, P518, P818, P828, U041, U207, U208, U307, U312, U317, U320, U336, U347, U366, U368, U388, U406, U410, U412, U418, U425, U426, U428, U429, U435, U436, U438, U439, U440, U441, U443, U444, U448, U451, U452, U453, U454, U455, U467, U474, U478, U489, U497, U502, U510, U512, U520, U526, U527, U529, U601, U603, U606, U608, U611, U613, U614, U619, U620, U910, U912, U914, U925, U927, U928, V418, V421, V472, V481, X404, X507, X513, X514, X515, X518, X520, X521, X522, X523, X524, X526, X528, X530, X531.

Lafarge ½” Firecheck® Type C (UL Designation LGFC-C/A)

54” wide, for use in Design Nos. K912, L503, L504, L506, L507, L512, L519, L522, L524, L542, U307, U317, U336, U366, U368, U440, U601, U603, U608, U611, U613, U614, U619, U620, V421, X404, X507, X513, X514, X515, X518, X520, X521, X522, X523, X524, X526, X528, X530, X531.

Lafarge ½” Firecheck® Type C (UL Designation LGFC-C/A)

24” x 24” VinylCeil® Lay-in Ceiling Tiles, for use in Design No. G222.

24” x 48” VinylCeil® Lay-in Ceiling Tiles, for use in Design No. G259, P215, P219.

Lafarge 5/8” Mold Defense Type X, 5/8” Fire Watercheck®, 5/8” Firecheck® Sheathing (UL Designation LGFC2A) and 5/8” Weather Defense Sheathing (UL Designation LGFC-WD)

48” wide, for use in Design Nos. P225, P227, P230, P235, P254, P257, P259, P266, P302, P701, P710, P711, P713, P714, P717, P718, P719, P720, P722, P725, P728, P729, P730, P731, P732, P733, P734, P735, P738, P739, P740, P741, P742, P801, P803, P805, P811, P814, P815, P818, P819, P824, P825, P826, P827, P828, S728, S736, U017, U032, U040, U047, U204, U207, U301, U302, U305, U309, U322, U323, U324, U325, U326, U329, U330, U332, U337, U338, U339, U341, U342, U351, U354, U355, U356, U357, U358, U360, U364, U368, U369, U376, U377, U379, U396, U411, U418, U420, U422, U425, U434, U436, U439, U442, U449, U450, U460, U465, U467, U473, U475, U477, U487, U489, U494, U495, U502, U504, U505, U510, U512, U518, U531, U533, U536, U603, U615, U617, U623, U626, U633, U640, U646, U647, U648, U649, U651, U652, U926, V415, V417, V419, V420, V421, V430, V432, V434, V435, V445, X508, X516, X517, X525, X526, X527, X528, X602, X604.

Lafarge UL Listed Assemblies – continued

Lafarge 5/8" Firecheck® Type C (UL Designation LGFC-C/A)

48" wide, for use in Design Nos. D301, D405, D501, D502, G501, G503, G505, G507, G508, G510, G512, G515, G520, G521, G523, G524, G525, G526, G527, G528, G529, G531, G538, G547, J501, J502, J503, J504, K912, L501, L505, L508, L511, L512, L513, L514, L516, L520, L523, L525, L526, L527, L528, L529, L530, L531, L532, L538, L539, L540, L541, L546, L548, L554, L556, L557, L573, L585, L588, L591, N501, N502, N505, N602, P225, P227, P230, P235, P254, P259, P266, P302, P501, P502, P503, P504, P505, P506, P507, P508, P509, P510, P513, P514, P516, P517, P519, P547, P701, P710, P711, P713, P714, P717, P718, P719, P720, P722, P725, P728, P729, P730, P731, P732, P733, P734, P735, P738, P739, P740, P741, P742, P743, P801, P803, P805, P811, P814, P815, P818, P819, P824, P825, P826, P827, P828, S728, S736, U017, U023, U026, U032, U040, U047, U051, U052, U204, U207, U301, U302, U304, U305, U309, U311, U321, U322, U323, U324, U325, U326, U329, U330, U332, U333, U334, U337, U338, U339, U340, U341, U342, U344, U351, U354, U355, U356, U357, U358, U360, U364, U368, U369, U376, U377, U379, U391, U396, U405, U411, U418, U420, U421, U422, U425, U428, U429, U434, U435, U436, U439, U442, U445, U449, U450, U451, U456, U457, U460, U465, U466, U467, U469, U473, U475, U477, U485, U487, U489, U494, U495, U501, U502, U504, U505, U506, U510, U512, U513, U518, U524, U526, U528, U531, U533, U534, U535, U536, U538, U541, U544, U545, U546, U602, U603, U605, U606, U609, U615, U617, U618, U622, U623, U625, U626, U627, U633, U634, U635, U637, U639, U640, U642, U643, U644, U645, U646, U647, U648, U649, U651, U652, U926, V414, V415, V417, V419, V420, V421, V430, V431, V432, V434, V435, V445, V454, V457, V458, V481, V486, V495, X501, X502, X504, X508, X509, X510, X516, X517, X525, X526, X527, X528, X535, X537, X602, X604.

1" Shaftliner and 1" Mold Defense Shaftliner (UL Designation LGFCSL) 24" wide, for use in Design Nos. U 388, U428, U429, V472, V481



Brad Wing
Technical Manager - Marketing

07/13/10